


Reporting Period: 2/1/2019 - 2/28/2019

91% On Time
 47,102 of 51,670


On Time Percentages of Top Tests by Volume

	Feb 01	Feb 02	Feb 03	Feb 04	Feb 05	Feb 06	Feb 07	Feb 08	Feb 09	Feb 10	Feb 11	Feb 12	Feb 13	Feb 14	Feb 15	Feb 16	Feb 17	Feb 18	Feb 19	Feb 20	Feb 21	Feb 22	Feb 23	Feb 24	Feb 25	Feb 26	Feb 27	Feb 28	Overall
COMPLETE BLOOD COUNT WITH DIFF	92	94	95	90	92	93	92	89	92	91	91	87	93	91	91	92	90	91	93	91	88	92	94	94	91	92	92	88	91
CMP	87	88	90	85	86	81	84	84	93	90	86	88	85	90	88	90	90	88	84	91	88	88	90	90	91	89	90	90	88
UA	92	95	94	93	93	95	96	94	96	94	91	93	93	96	91	97	93	96	94	92	89	97	95	97	94	95	94	95	94
Troponin T	88	89	94	88	90	81	87	89	94	89	88	93	95	91	91	96	94	92	87	91	90	92	94	94	96	94	92	92	91
PT	91	92	89	92	94	89	97	94	93	91	96	98	91	94	98	95	99	97	87	91	90	95	99	98	87	98	92	99	94
APTT	92	91	91	91	90	88	97	96	89	92	93	96	93	90	99	95	95	93	88	94	90	91	93	90	88	95	96	97	93
CBC WITHOUT DIFFERENTIAL	94	98	97	92	98	97	95	99	91	94	96	93	92	92	90	98	100	99	99	95	95	91	98	84	91	98	99	97	95
BMP	86	90	92	79	83	81	93	88	96	100	92	91	87	86	83	82	91	88	87	95	90	83	89	95	89	90	90	87	88
Beta Human Chorionic Gonadotropin Qualitative , Urine	100	100	97	100	100	100	100	100	100	100	98	100	97	100	100	100	100	98	98	98	95	97	98	100	97	100	98	100	99
D-Dimer Quant for PE/DVT	87	87	94	89	92	82	87	100	100	94	100	96	94	95	86	100	90	58	93	97	94	100	100	87	100	93	93	85	92
Overall	90	92	93	89	91	89	91	90	94	91	90	90	91	92	91	93	92	92	90	92	89	91	93	93	92	92	92	92	91

Performed Tests With Defined Turnaround Times



Overdue Tests by Overdue Time



Laboratory Turnaround Times	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHBL LABORATORY 5478/5905	35m	8m	14m	18m	31m	-13m	93
APTT 207/222	40m	8m		19m	30m	-11m	93
Beta Human Chorionic Gonadotropin Qualitative, Urine 14/14	32m	14m		10m	25m	-15m	100
BMP 254/271	56m	9m		27m	35m	-8m	94
CBC WITHOUT DIFFERENTIAL 125/133	38m	6m		9m	25m	-16m	94
CMP 1381/1520	18m	8m		27m	35m	-8m	91
COMPLETE BLOOD COUNT WITH DIFF 1525/1647	18m	8m	14m	10m	30m	-20m	93
D-Dimer Quant for PE/DVT 40/41	15m	6m		22m	35m	-13m	98
PT 347/357	30m	8m		16m	30m	-14m	97
Troponin T 606/643	33m	8m		25m	35m	-10m	94
UA 979/1057	1h 20m	7m		15m	25m	-10m	93
SHBR LABORATORY 2851/3063	1h 33m	5m	6m	17m	31m	-14m	93
APTT 115/120	17m	4m		17m	30m	-13m	96
Beta Human Chorionic Gonadotropin Qualitative, Urine 91/91	33m	6m		6m	25m	-19m	100
BMP 88/93	1h 4m	4m		24m	35m	-11m	95
CBC WITHOUT DIFFERENTIAL 47/47	1d 16h	10m		5m	25m	-20m	100
CMP 694/762	19m	5m		25m	35m	-10m	91
COMPLETE BLOOD COUNT WITH DIFF 797/826	18m	5m	6m	7m	30m	-23m	96
D-Dimer Quant for PE/DVT 40/43	17m	5m		24m	35m	-11m	93
PT 131/137	20m	4m		17m	30m	-13m	96

Laboratory Turnaround Times	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHBR LABORATORY 2851/3063 (cont'd)	1h 33m	5m	6m	17m	31m	-14m	93
Troponin T 386/419	40m	6m		26m	35m	-9m	92
UA 462/525	3h 28m	5m		15m	25m	-10m	88
SHBW LABORATORY REGIONAL 22281/25289	2h 24m	18m	16m	21m	31m	-10m	88
APTT 1253/1373	1h 20m	16m		20m	30m	-10m	91
Beta Human Chorionic Gonadotropin Qualitative, Urine 68/72	49m	2h 44m		12m	25m	-13m	94
BMP 1048/1239	13h 19m	26m		30m	35m	-5m	85
CBC WITHOUT DIFFERENTIAL 1465/1559	32m	20m	16m	10m	25m	-15m	94
CMP 5415/6554	1h 52m	18m		31m	35m	-4m	83
COMPLETE BLOOD COUNT WITH DIFF 5626/6407	1h 54m	18m	16m	13m	30m	-17m	88
D-Dimer Quant for PE/DVT 199/217	18m	15m		23m	35m	-12m	92
PT 1493/1618	3h 29m	16m		20m	30m	-10m	92
Troponin T 2341/2674	49m	12m		30m	35m	-5m	88
UA 3373/3576	2h 44m	20m		14m	25m	-11m	94
SHGM LABORATORY 2961/3051	1h 36m	10m	6m	16m	31m	-15m	97
APTT 89/92	12m	7m		19m	30m	-11m	97
Beta Human Chorionic Gonadotropin Qualitative, Urine 173/173	25m	10m		7m	25m	-18m	100
BMP 98/102	33m	10m		22m	35m	-13m	96
CBC WITHOUT DIFFERENTIAL 59/59	56m	5m		7m	25m	-18m	100
CMP 755/797	12m	6m		24m	35m	-11m	95

Laboratory Turnaround Times	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHGM LABORATORY 2961/3051 (cont'd)	1h 36m	10m	6m	16m	31m	-15m	97
COMPLETE BLOOD COUNT WITH DIFF 844/863	12m	12m	6m	8m	30m	-22m	98
D-Dimer Quant for PE/DVT 16/16	13m	7m		23m	35m	-12m	100
PT 126/131	11m	8m		18m	30m	-12m	96
Troponin T 351/359	36m	6m		23m	35m	-12m	98
UA 450/459	8h 53m	17m		11m	25m	-14m	98
SHKL LABORATORY 676/781	1h 27m	12m	14m	19m	31m	-12m	87
APTT 18/18	14m	20m		17m	30m	-13m	100
Beta Human Chorionic Gonadotropin Qualitative, Urine 22/24	11m	12m		10m	25m	-15m	92
BMP 10/14	1d 5h	12m		30m	35m	-5m	71
CBC WITHOUT DIFFERENTIAL 10/10	13m	10m		5m	25m	-20m	100
CMP 169/203	29m	13m		26m	35m	-9m	83
COMPLETE BLOOD COUNT WITH DIFF 188/205	2h 15m	11m	14m	10m	30m	-20m	92
D-Dimer Quant for PE/DVT 10/15	11m	11m		30m	35m	-5m	67
PT 32/35	13m	13m		18m	30m	-12m	91
Troponin T 109/126	26m	12m		26m	35m	-9m	87
UA 108/131	31m	10m		18m	25m	-7m	82
SHLH LABORATORY 2532/2674	1h 54m	5m	13m	15m	31m	-16m	95
APTT 134/138	13m	7m		18m	30m	-12m	97
Beta Human Chorionic Gonadotropin Qualitative, Urine 128/129	16m	8m		6m	25m	-19m	99

Laboratory Turnaround Times	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHLH LABORATORY 2532/2674 (cont'd)	1h 54m	5m	13m	15m	31m	-16m	95
BMP 84/88	18m	3m		21m	35m	-14m	95
CBC WITHOUT DIFFERENTIAL 21/21	7d 19h	5m		3m	25m	-22m	100
CMP 618/655	11m	4m		22m	35m	-13m	94
COMPLETE BLOOD COUNT WITH DIFF 768/826	36m	5m	13m	7m	30m	-23m	93
D-Dimer Quant for PE/DVT 49/49	11m	6m		24m	35m	-11m	100
PT 249/258	13m	9m		17m	30m	-13m	97
Troponin T 287/310	31m	4m		24m	35m	-11m	93
UA 194/200	53m	9m		12m	25m	-13m	97
SHPH LABORATORY 2185/2255	25m	8m	9m	15m	31m	-16m	97
APTT 67/76	16m	6m		22m	30m	-8m	88
Beta Human Chorionic Gonadotropin Qualitative , Urine 107/107	45m	18m		7m	25m	-18m	100
BMP 43/44	26m	18m		22m	35m	-13m	98
CBC WITHOUT DIFFERENTIAL 39/40	14m	6m		4m	25m	-21m	98
CMP 626/643	13m	6m		23m	35m	-12m	97
COMPLETE BLOOD COUNT WITH DIFF 688/696	13m	8m	9m	5m	30m	-25m	99
D-Dimer Quant for PE/DVT 21/23	13m	9m		23m	35m	-12m	91
PT 77/85	24m	6m		22m	30m	-8m	91
Troponin T 253/267	30m	6m		24m	35m	-11m	95
UA 264/274	1h 16m	6m		11m	25m	-14m	96
SHRC LABORATORY 1664/1850	2h 23m	7m	10m	19m	32m	-13m	90

Laboratory Turnaround Times	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHRC LABORATORY 1664/1850 (cont'd)	2h 23m	7m	10m	19m	32m	-13m	90
APTT 43/46	14m	8m		20m	30m	-10m	93
Beta Human Chorionic Gonadotropin Qualitative, Urine 27/28	25m	11m		8m	25m	-17m	96
BMP 20/22	13m	8m		26m	35m	-9m	91
CBC WITHOUT DIFFERENTIAL 17/17	1d 15h	11m		5m	25m	-20m	100
CMP 528/574	3h 22m	8m		25m	35m	-10m	92
COMPLETE BLOOD COUNT WITH DIFF 513/585	2h 29m	7m	10m	10m	30m	-20m	88
D-Dimer Quant for PE/DVT 24/29	14m	5m		28m	35m	-7m	83
PT 75/83	16m	8m		20m	30m	-10m	90
Troponin T 229/245	41m	5m		25m	35m	-10m	93
UA 188/221	36m	7m		18m	25m	-7m	85
SHUN LABORATORY 3631/3813	4h 56m	7m	10m	15m	31m	-16m	95
APTT 79/79	13m	5m		19m	30m	-11m	100
Beta Human Chorionic Gonadotropin Qualitative, Urine 226/228	30m	5m		7m	25m	-18m	99
BMP 88/95	5h 23m	10m		21m	35m	-14m	93
CBC WITHOUT DIFFERENTIAL 100/102	1h 48m	8m		6m	25m	-19m	98
CMP 941/1014	8h 27m	9m		23m	35m	-12m	93
COMPLETE BLOOD COUNT WITH DIFF 993/1049	8h 12m	8m	10m	8m	30m	-22m	95
D-Dimer Quant for PE/DVT 30/32	13m	4m		24m	35m	-11m	94
PT 139/142	17m	5m		18m	30m	-12m	98

Laboratory Turnaround Times	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHUN LABORATORY 3631/3813 (cont'd)	4h 56m	7m	10m	15m	31m	-16m	95
Troponin T 423/448	42m	5m		23m	35m	-12m	94
UA 612/624	48m	6m		10m	25m	-15m	98
SHZH LABORATORY 2843/2989	59m	5m	5m	16m	31m	-15m	95
APTT 60/66	15m	12m		21m	30m	-9m	91
Beta Human Chorionic Gonadotropin Qualitative , Urine 277/279	5h 39m	6m		7m	25m	-18m	99
BMP 38/42	6h 34m	13m		26m	35m	-9m	90
CBC WITHOUT DIFFERENTIAL 66/66	13m	5m		4m	25m	-21m	100
CMP 732/783	12m	4m		26m	35m	-9m	93
COMPLETE BLOOD COUNT WITH DIFF 784/819	12m	4m	5m	7m	30m	-23m	96
D-Dimer Quant for PE/DVT 26/29	23m	7m		26m	35m	-9m	90
PT 90/99	23m	9m		21m	30m	-9m	91
Troponin T 291/313	41m	6m		26m	35m	-9m	93
UA 479/493	54m	4m		12m	25m	-13m	97

Report Comments

The Turnaround Times report displays information about the time it took to verify CP and/or AP tests. The turnaround time (TAT) is defined as the time elapsed between the instant the specimen was received and the instant the test was first final verified. The TAT is calculated using the first received instant or the last received instant depending on the TAT basis setting that is specified in the laboratory and facility records.

The TAT compliance information is summarized on a chart to display what percentage of tests were on time by day, and there is a graph to show the total number of tests performed as well as how many of those were on time. This first graph is limited to showing the 25 tests with the greatest volume over the time interval specified. The On Time Threshold can be used to determine which tests are meeting on time percentage goals by shading values that meet the threshold in green, and shading those that do not in red.

The details of the report show the following time intervals: Ordered-Collected, Collected-Received, Received-First Preliminary Verify, Turnaround Time, Expected Turnaround Time and Overdue Time for each test verified in the specified date range. The group headers show averages of these time intervals and also the percentage of the tests that are TAT compliant in that group.

The report is able to be filtered on final verification dates and times, resulting lab, resulting section, test/protocol, test priority, order mode, collection department, submitter, and the types of tests (AP/CP/both), and to only show overdue tests. The report is also able to be grouped by up to three of the following: Resulting Lab, Resulting Section, Test/Protocol, Collection Department/Submitter, Order Mode, Priority/Case Type, Verifying/Responsible User, or Verified Date.