

Reporting Period: 5/14/2018 - 5/20/2018

86%


On Time

11,381 of 13,242


On Time Percentages of Top Tests by Volume

	May 14	May 15	May 16	May 17	May 18	May 19	May 20	Overall
COMPLETE BLOOD COUNT WITH DIFF	91	91	89	90	91	92	89	90
CMP	78	79	73	83	83	85	81	80
UA	87	94	87	88	92	89	90	89
Troponin T	83	82	63	82	82	90	80	80
PT	83	88	82	92	90	90	87	87
APTT	80	89	83	89	91	89	88	87
CBC WITHOUT DIFFERENTIAL	97	96	83	90	95	98	95	93
BMP	84	79	67	83	90	89	80	82
Beta Human Chorionic Gonadotropin Qualitative , Urine	91	96	95	100	100	95	100	96
D-Dimer Quant for PE/DVT	75	94	100	91	70	78	94	85
Overall	85	87	80	87	88	89	86	86

Performed Tests With Defined Turnaround Times



Overdue Tests by Overdue Time



Laboratory Turnaround Times	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHBL LABORATORY 1363/1688	36m	8m	14m	22m	31m	-9m	81
APTT 69/75	31m	7m		20m	30m	-10m	92
Beta Human Chorionic Gonadotropin Qualitative, Urine 5/5	4h 46m	32m		9m	25m	-16m	100
BMP 55/73	1h 43m	9m		31m	35m	-4m	75
CBC WITHOUT DIFFERENTIAL 34/35	43m	6m		10m	25m	-15m	97
CMP 289/438	19m	8m		32m	35m	-3m	66
COMPLETE BLOOD COUNT WITH DIFF 434/476	22m	8m	14m	11m	30m	-19m	91
D-Dimer Quant for PE/DVT 9/11	14m	19m		28m	35m	-7m	82
PT 105/112	30m	7m		19m	30m	-12m	94
Troponin T 97/169	43m	9m		35m	35m	-0m	57
UA 266/294	1h 2m	7m		16m	25m	-9m	90
SHBR LABORATORY 667/740	37m	8m	6m	18m	31m	-13m	90
APTT 25/25	1h	11m		17m	30m	-13m	100
Beta Human Chorionic Gonadotropin Qualitative, Urine 33/34	41m	6m		10m	25m	-15m	97
BMP 20/22	23m	7m		25m	35m	-10m	91
CBC WITHOUT DIFFERENTIAL 23/24	34m	5m		7m	25m	-18m	96
CMP 179/194	27m	9m		25m	35m	-10m	92
COMPLETE BLOOD COUNT WITH DIFF 194/208	24m	9m	6m	9m	30m	-21m	93
D-Dimer Quant for PE/DVT 3/4	30m	2m		28m	35m	-8m	75
PT 36/38	32m	6m		18m	30m	-12m	95

Laboratory Turnaround Times	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHBR LABORATORY 667/740 (cont'd)	37m	8m	6m	18m	31m	-13m	90
Troponin T 69/80	43m	5m		27m	35m	-8m	86
UA 85/111	1h 10m	6m		19m	25m	-6m	77
SHBW LABORATORY REGIONAL 5396/6368	1h 6m	16m	18m	23m	31m	-9m	85
APTT 320/371	28m	11m		22m	30m	-8m	86
Beta Human Chorionic Gonadotropin Qualitative, Urine 28/30	48m	36m		12m	25m	-13m	93
BMP 227/282	39m	25m		31m	35m	-4m	80
CBC WITHOUT DIFFERENTIAL 339/368	28m	15m	14m	12m	25m	-13m	92
CMP 1252/1609	2h 28m	16m		32m	35m	-3m	78
COMPLETE BLOOD COUNT WITH DIFF 1415/1608	23m	17m	18m	16m	30m	-14m	88
D-Dimer Quant for PE/DVT 37/40	17m	12m		25m	35m	-10m	93
PT 384/446	24m	13m		22m	30m	-8m	86
Troponin T 554/690	53m	12m		31m	35m	-4m	80
UA 840/924	1h 7m	18m		14m	25m	-11m	91
SHGM LABORATORY 699/790	40m	6m	9m	19m	31m	-12m	88
APTT 20/23	31m	6m		21m	30m	-9m	87
Beta Human Chorionic Gonadotropin Qualitative, Urine 37/41	26m	6m		11m	25m	-14m	90
BMP 21/21	16m	8m		25m	35m	-10m	100
CBC WITHOUT DIFFERENTIAL 15/17	13m	5m		12m	25m	-13m	88
CMP 169/195	45m	6m		26m	35m	-9m	87

Laboratory Turnaround Times	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHGM LABORATORY 699/790 (cont'd)	40m	6m	9m	19m	31m	-12m	88
COMPLETE BLOOD COUNT WITH DIFF 196/223	40m	6m	9m	12m	30m	-18m	88
D-Dimer Quant for PE/DVT 3/4	15m	5m		25m	35m	-10m	75
PT 31/35	27m	5m		21m	30m	-9m	89
Troponin T 85/94	41m	7m		26m	35m	-9m	90
UA 122/137	49m	6m		15m	25m	-10m	89
SHKL LABORATORY 134/162	20m	14m	17m	20m	31m	-11m	83
APTT 1/1	5m	25m		23m	30m	-7m	100
Beta Human Chorionic Gonadotropin Qualitative, Urine 9/9	9m	6m		10m	25m	-15m	100
CMP 37/47	17m	16m		29m	35m	-6m	79
COMPLETE BLOOD COUNT WITH DIFF 45/50	15m	16m	17m	11m	30m	-19m	90
D-Dimer Quant for PE/DVT 2/2	17m	9m		26m	35m	-9m	100
PT 6/6	16m	9m		17m	30m	-13m	100
Troponin T 12/18	37m	10m		31m	35m	-4m	67
UA 22/29	27m	12m		19m	25m	-6m	76
SHLH LABORATORY 592/719	2h 17m	7m	13m	20m	31m	-11m	82
APTT 21/32	21m	6m		25m	30m	-5m	66
Beta Human Chorionic Gonadotropin Qualitative, Urine 33/35	17m	12m		12m	25m	-13m	94
BMP 13/19	13m	6m		31m	35m	-4m	68
CBC WITHOUT DIFFERENTIAL 6/6	8m	7m		6m	25m	-19m	100

Laboratory Turnaround Times	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHLH LABORATORY 592/719 (cont'd)	2h 17m	7m	13m	20m	31m	-11m	82
CMP 132/161	8h 47m	7m		27m	35m	-8m	82
COMPLETE BLOOD COUNT WITH DIFF 213/229	15m	6m	13m	10m	30m	-20m	93
D-Dimer Quant for PE/DVT 10/12	18m	8m		27m	35m	-8m	83
PT 48/62	17m	6m		23m	30m	-7m	77
Troponin T 75/97	42m	5m		29m	35m	-6m	77
UA 41/66	52m	11m		25m	25m	-0m	62
SHPH LABORATORY 562/631	2h 12m	7m	10m	18m	31m	-13m	89
APTT 29/34	29m	9m		24m	30m	-6m	85
Beta Human Chorionic Gonadotropin Qualitative, Urine 23/23	26m	3m		8m	25m	-17m	100
BMP 7/8	22m	8m		25m	35m	-10m	88
CBC WITHOUT DIFFERENTIAL 7/7	33m	4m		7m	25m	-18m	100
CMP 142/170	3h 26m	7m		27m	35m	-8m	84
COMPLETE BLOOD COUNT WITH DIFF 163/176	3h 17m	7m	10m	8m	30m	-22m	93
D-Dimer Quant for PE/DVT 8/11	17m	15m		29m	35m	-6m	73
PT 39/45	27m	14m		24m	30m	-6m	87
Troponin T 72/80	48m	4m		26m	35m	-9m	90
UA 72/77	1h 18m	8m		12m	25m	-13m	94
SHRC LABORATORY 444/505	3h 48m	8m	9m	19m	31m	-13m	88
APTT 12/13	12m	5m		18m	30m	-12m	92

Laboratory Turnaround Times	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHRC LABORATORY 444/505 (cont'd)	3h 48m	8m	9m	19m	31m	-13m	88
Beta Human Chorionic Gonadotropin Qualitative, Urine 22/22	41m	7m		8m	25m	-17m	100
BMP 12/15	13m	8m		27m	35m	-8m	80
CBC WITHOUT DIFFERENTIAL 1/1	0m	9m		4m	25m	-21m	100
CMP 123/140	9h 58m	8m		26m	35m	-9m	88
COMPLETE BLOOD COUNT WITH DIFF 137/155	2h 32m	8m	9m	10m	30m	-20m	88
D-Dimer Quant for PE/DVT 4/4	9m	7m		30m	35m	-6m	100
PT 18/22	17m	8m		19m	30m	-11m	82
Troponin T 64/73	43m	9m		26m	35m	-9m	88
UA 51/60	47m	7m		19m	25m	-6m	85
SHUN LABORATORY 843/897	2h 1m	7m	11m	16m	31m	-15m	94
APTT 19/21	15m	6m		20m	30m	-10m	90
Beta Human Chorionic Gonadotropin Qualitative, Urine 47/49	27m	6m		7m	25m	-18m	96
BMP 24/26	15m	5m		22m	35m	-13m	92
CBC WITHOUT DIFFERENTIAL 19/20	20m	5m		8m	25m	-17m	95
CMP 207/230	2h 24m	7m		24m	35m	-11m	90
COMPLETE BLOOD COUNT WITH DIFF 239/248	2h 1m	6m	11m	8m	30m	-22m	96
D-Dimer Quant for PE/DVT 5/6	16m	19m		28m	35m	-7m	83
PT 35/37	13h 55m	8m		19m	30m	-11m	95
Troponin T 85/92	48m	8m		25m	35m	-10m	92
UA 163/168	44m	6m		10m	25m	-15m	97

For tests verified between 0000 and 2358 on 5/14/2018 through 5/20/2018
Grouped by Resulting Laboratory, then Test/Protocol
Filtering on Test/Protocol, Priority, Type of test

Run on: 5/21/2018 at 0834

Laboratory Turnaround Times	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHZH LABORATORY 681/742	21m	5m	6m	17m	31m	-13m	92
APTT 13/15	25m	8m		24m	30m	-6m	87
Beta Human Chorionic Gonadotropin Qualitative , Urine 65/65	17m	4m		8m	25m	-17m	100
BMP 8/8	22m	12m		23m	35m	-12m	100
CBC WITHOUT DIFFERENTIAL 7/8	16m	6m		7m	25m	-18m	88
CMP 184/205	14m	5m		27m	35m	-8m	90
COMPLETE BLOOD COUNT WITH DIFF 201/213	13m	6m	6m	8m	30m	-22m	94
D-Dimer Quant for PE/DVT 5/7	19m	30m		28m	35m	-7m	71
PT 19/23	23m	7m		23m	30m	-7m	83
Troponin T 64/77	46m	5m		28m	35m	-7m	83
UA 115/121	32m	3m		13m	25m	-12m	95

Report Comments

The Turnaround Times report displays information about the time it took to verify CP and/or AP tests. The turnaround time (TAT) is defined as the time elapsed between the instant the specimen was received and the instant the test was first final verified. The TAT is calculated using the first received instant or the last received instant depending on the TAT basis setting that is specified in the laboratory and facility records.

The TAT compliance information is summarized on a chart to display what percentage of tests were on time by day, and there is a graph to show the total number of tests performed as well as how many of those were on time. This first graph is limited to showing the 25 tests with the greatest volume over the time interval specified. The On Time Threshold can be used to determine which tests are meeting on time percentage goals by shading values that meet the threshold in green, and shading those that do not in red.

The details of the report show the following time intervals: Ordered-Collected, Collected-Received, Received-First Preliminary Verify, Turnaround Time, Expected Turnaround Time and Overdue Time for each test verified in the specified date range. The group headers show averages of these time intervals and also the percentage of the tests that are TAT compliant in that group.

The report is able to be filtered on final verification dates and times, resulting lab, resulting section, test/protocol, test priority, order mode, collection department, submitter, and the types of tests (AP/CP/both), and to only show overdue tests. The report is also able to be grouped by up to three of the following: Resulting Lab, Resulting Section, Test/Protocol, Collection Department/Submitter, Order Mode, Priority/Case Type, Verifying/Responsible User, or Verified Date.