


Reporting Period: 9/30/2018 - 10/13/2018

91%
On Time
 24,481 of 26,798


On Time Percentages of Top Tests by Volume

	Sep 30	Oct 01	Oct 02	Oct 03	Oct 04	Oct 05	Oct 06	Oct 07	Oct 08	Oct 09	Oct 10	Oct 11	Oct 12	Oct 13	Overall
COMPLETE BLOOD COUNT WITH DIFF	95	92	92	92	92	92	93	90	92	92	91	93	94	92	92
CMP	93	90	87	84	89	88	90	87	86	87	88	85	82	88	87
UA	97	96	95	95	96	84	94	94	91	93	85	91	89	92	92
Troponin T	93	94	95	93	91	93	93	91	93	93	91	91	86	96	92
PT	95	94	90	95	93	95	94	92	93	98	94	96	97	97	95
APTT	92	97	94	95	92	96	94	97	90	96	93	94	98	93	94
CBC WITHOUT DIFFERENTIAL	98	92	97	92	97	94	98	100	98	98	96	95	97	97	96
BMP	88	86	90	89	93	88	97	86	88	89	90	83	90	96	89
Beta Human Chorionic Gonadotropin Qualitative , Urine	100	100	98	96	100	98	100	100	100	98	98	100	98	100	99
D-Dimer Quant for PE/DVT	95	94	90	82	94	93	92	100	95	87	82	91	90	87	91
Overall	94	93	92	91	92	90	93	91	91	92	89	90	90	92	91

Performed Tests With Defined Turnaround Times



Overdue Tests by Overdue Time



Laboratory Turnaround Times	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHBL LABORATORY 2661/2883	31m	7m	13m	18m	31m	-13m	92
APTT 121/130	31m	9m		19m	30m	-11m	93
Beta Human Chorionic Gonadotropin Qualitative, Urine 16/16	16m	9m		9m	25m	-17m	100
BMP 121/138	1h 33m	12m		27m	35m	-8m	88
CBC WITHOUT DIFFERENTIAL 49/51	32m	11m		9m	25m	-16m	96
CMP 650/742	19m	7m		28m	35m	-7m	88
COMPLETE BLOOD COUNT WITH DIFF 764/809	18m	7m	13m	9m	30m	-21m	94
D-Dimer Quant for PE/DVT 21/22	15m	7m		25m	35m	-10m	95
PT 185/194	29m	7m		17m	30m	-13m	95
Troponin T 250/261	36m	8m		24m	35m	-11m	96
UA 484/520	52m	6m		14m	25m	-11m	93
SHBR LABORATORY 1547/1637	27m	5m	5m	16m	31m	-15m	95
APTT 54/55	21m	4m		17m	30m	-13m	98
Beta Human Chorionic Gonadotropin Qualitative, Urine 65/65	27m	16m		7m	25m	-18m	100
BMP 29/32	21m	4m		24m	35m	-11m	91
CBC WITHOUT DIFFERENTIAL 27/28	17m	5m		5m	25m	-20m	96
CMP 392/434	22m	5m		25m	35m	-10m	90
COMPLETE BLOOD COUNT WITH DIFF 439/459	22m	5m	5m	7m	30m	-23m	96
D-Dimer Quant for PE/DVT 20/22	20m	10m		25m	35m	-10m	91
PT 73/75	19m	8m		17m	30m	-13m	97

Laboratory Turnaround Times	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHBR LABORATORY 1547/1637 (cont'd)	27m	5m	5m	16m	31m	-15m	95
Troponin T 186/192	39m	5m		25m	35m	-10m	97
UA 262/275	42m	5m		13m	25m	-12m	95
SHBW LABORATORY REGIONAL 11295/12732	48m	16m	14m	21m	31m	-10m	89
APTT 637/679	30m	12m		19m	30m	-11m	94
Beta Human Chorionic Gonadotropin Qualitative , Urine 44/44	1h 59m	54m		11m	25m	-14m	100
BMP 508/577	39m	21m		29m	35m	-6m	88
CBC WITHOUT DIFFERENTIAL 792/826	2h 2m	18m	28m	9m	25m	-16m	96
CMP 2647/3217	23m	16m		31m	35m	-4m	82
COMPLETE BLOOD COUNT WITH DIFF 2938/3300	53m	17m	14m	12m	30m	-18m	89
D-Dimer Quant for PE/DVT 71/77	17m	15m		23m	35m	-12m	92
PT 798/839	28m	16m		18m	30m	-12m	95
Troponin T 1252/1375	53m	11m		29m	35m	-6m	91
UA 1608/1798	1h 6m	15m		15m	25m	-10m	89
SHGM LABORATORY 1645/1737	1h 6m	6m	7m	16m	31m	-14m	95
APTT 49/54	13m	5m		21m	30m	-9m	91
Beta Human Chorionic Gonadotropin Qualitative , Urine 101/104	35m	5m		9m	25m	-16m	97
BMP 53/55	13m	4m		22m	35m	-13m	96
CBC WITHOUT DIFFERENTIAL 42/45	22m	11m		9m	25m	-16m	93
CMP 418/445	12m	6m		24m	35m	-11m	94

Laboratory Turnaround Times	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHGM LABORATORY 1645/1737 (cont'd)	1h 6m	6m	7m	16m	31m	-14m	95
COMPLETE BLOOD COUNT WITH DIFF 457/474	12m	6m	7m	9m	30m	-21m	96
D-Dimer Quant for PE/DVT 12/12	8m	4m		20m	35m	-15m	100
PT 68/75	17h 8m	5m		20m	30m	-10m	91
Troponin T 168/174	28m	5m		25m	35m	-10m	97
UA 277/299	51m	8m		14m	25m	-11m	93
SHKL LABORATORY 411/448	20m	10m	16m	17m	31m	-14m	92
APTT 7/7	15m	13m		17m	30m	-13m	100
Beta Human Chorionic Gonadotropin Qualitative, Urine 31/31	18m	13m		8m	25m	-17m	100
BMP 20/22	13m	7m		22m	35m	-13m	91
CBC WITHOUT DIFFERENTIAL 7/7	8m	12m		5m	25m	-20m	100
CMP 93/102	14m	10m		24m	35m	-11m	91
COMPLETE BLOOD COUNT WITH DIFF 103/116	14m	10m	16m	11m	30m	-19m	89
D-Dimer Quant for PE/DVT 7/7	7m	10m		24m	35m	-11m	100
PT 15/16	24m	11m		17m	30m	-13m	94
Troponin T 42/48	36m	9m		25m	35m	-10m	88
UA 86/92	29m	9m		13m	25m	-12m	93
SHLH LABORATORY 1355/1478	3h 20m	6m	13m	16m	31m	-15m	92
APTT 86/89	19m	3m		18m	30m	-12m	97
Beta Human Chorionic Gonadotropin Qualitative, Urine 63/64	38m	10m		8m	25m	-17m	98

Laboratory Turnaround Times	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHLH LABORATORY 1355/1478 (cont'd)	3h 20m	6m	13m	16m	31m	-15m	92
BMP 49/57	14m	4m		22m	35m	-13m	86
CBC WITHOUT DIFFERENTIAL 6/6	12m	7m		3m	25m	-22m	100
CMP 299/328	10m	7m		22m	35m	-13m	91
COMPLETE BLOOD COUNT WITH DIFF 404/436	6h 58m	7m	13m	7m	30m	-23m	93
D-Dimer Quant for PE/DVT 21/25	11m	4m		26m	35m	-9m	84
PT 137/148	12m	4m		18m	30m	-12m	93
Troponin T 184/196	42m	4m		24m	35m	-11m	94
UA 106/129	12h 10m	9m		18m	25m	-7m	82
SHPH LABORATORY 1193/1246	21m	7m	11m	16m	31m	-15m	96
APTT 48/51	17m	8m		22m	30m	-8m	94
Beta Human Chorionic Gonadotropin Qualitative, Urine 46/46	26m	4m		7m	25m	-18m	100
BMP 23/26	18m	5m		23m	35m	-12m	88
CBC WITHOUT DIFFERENTIAL 16/16	23m	26m		3m	25m	-22m	100
CMP 335/348	16m	7m		23m	35m	-12m	96
COMPLETE BLOOD COUNT WITH DIFF 371/382	15m	8m	11m	6m	30m	-24m	97
D-Dimer Quant for PE/DVT 17/20	9m	5m		27m	35m	-8m	85
PT 51/54	16m	4m		22m	30m	-8m	94
Troponin T 141/156	25m	5m		25m	35m	-10m	90
UA 145/147	47m	7m		12m	25m	-13m	99
SHPH LABORATORY BLD BANK 0/1	1h 50m	3m		26m	25m	1m	0

Laboratory Turnaround Times	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHPH LABORATORY BLD BANK 0/1 (cont'd)	1h 50m	3m		26m	25m	1m	0
UA 0/1	1h 50m	3m		26m	25m	1m	0
SHRC LABORATORY 857/961	17m	8m	10m	19m	31m	-13m	89
APTT 32/34	15m	13m		19m	30m	-11m	94
Beta Human Chorionic Gonadotropin Qualitative, Urine 40/40	26m	6m		7m	25m	-18m	100
BMP 26/27	16m	20m		23m	35m	-12m	96
CBC WITHOUT DIFFERENTIAL 15/16	9m	9m		6m	25m	-19m	94
CMP 251/279	10m	8m		26m	35m	-9m	90
COMPLETE BLOOD COUNT WITH DIFF 264/304	10m	10m	10m	11m	30m	-19m	87
D-Dimer Quant for PE/DVT 6/7	13m	4m		27m	35m	-8m	86
PT 35/40	16m	5m		21m	30m	-9m	88
Troponin T 95/110	31m	5m		27m	35m	-8m	86
UA 93/104	36m	7m		17m	25m	-8m	89
SHUN LABORATORY 1927/2022	5h 38m	7m	13m	15m	31m	-16m	95
APTT 40/41	20m	7m		18m	30m	-12m	98
Beta Human Chorionic Gonadotropin Qualitative, Urine 112/113	30m	5m		7m	25m	-18m	99
BMP 68/72	19m	8m		22m	35m	-13m	94
CBC WITHOUT DIFFERENTIAL 52/52	6h 53m	5m		5m	25m	-20m	100
CMP 475/519	8h 23m	8m		23m	35m	-12m	92
COMPLETE BLOOD COUNT WITH DIFF 546/566	10h 45m	8m	13m	7m	30m	-23m	96

Laboratory Turnaround Times	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHUN LABORATORY 1927/2022 (cont'd)	5h 38m	7m	13m	15m	31m	-16m	95
D-Dimer Quant for PE/DVT 15/18	13m	5m		28m	35m	-7m	83
PT 68/71	16m	12m		18m	30m	-12m	96
Troponin T 225/236	40m	6m		23m	35m	-12m	95
UA 326/334	51m	6m		9m	25m	-16m	98
SHZH LABORATORY 1590/1653	40m	5m	5m	16m	30m	-15m	96
APTT 43/44	15m	5m		21m	30m	-9m	98
Beta Human Chorionic Gonadotropin Qualitative , Urine 152/154	34m	4m		8m	25m	-17m	99
BMP 13/14	29m	11m		25m	35m	-10m	93
CBC WITHOUT DIFFERENTIAL 32/33	12h 33m	9m		6m	25m	-19m	97
CMP 419/443	14m	4m		25m	35m	-10m	95
COMPLETE BLOOD COUNT WITH DIFF 454/466	15m	4m	5m	7m	30m	-23m	97
D-Dimer Quant for PE/DVT 9/9	14m	10m		24m	35m	-11m	100
PT 56/59	16m	7m		21m	30m	-9m	95
Troponin T 139/153	34m	7m		26m	35m	-9m	91
UA 273/278	53m	4m		12m	25m	-13m	98

Report Comments

Laboratory Turnaround Times

Ordered-
Collected

Collected-
Received

Received-
Prelim

Received-
Verified

Expected
Turnaround

Overdue
Time

% On
Time

The Turnaround Times report displays information about the time it took to verify CP and/or AP tests. The turnaround time (TAT) is defined as the time elapsed between the instant the specimen was received and the instant the test was first final verified. The TAT is calculated using the first received instant or the last received instant depending on the TAT basis setting that is specified in the laboratory and facility records.

The TAT compliance information is summarized on a chart to display what percentage of tests were on time by day, and there is a graph to show the total number of tests performed as well as how many of those were on time. This first graph is limited to showing the 25 tests with the greatest volume over the time interval specified. The On Time Threshold can be used to determine which tests are meeting on time percentage goals by shading values that meet the threshold in green, and shading those that do not in red.

The details of the report show the following time intervals: Ordered-Collected, Collected-Received, Received-First Preliminary Verify, Turnaround Time, Expected Turnaround Time and Overdue Time for each test verified in the specified date range. The group headers show averages of these time intervals and also the percentage of the tests that are TAT compliant in that group.

The report is able to be filtered on final verification dates and times, resulting lab, resulting section, test/protocol, test priority, order mode, collection department, submitter, and the types of tests (AP/CP/both), and to only show overdue tests. The report is also able to be grouped by up to three of the following: Resulting Lab, Resulting Section, Test/Protocol, Collection Department/Submitter, Order Mode, Priority/Case Type, Verifying/Responsible User, or Verified Date.